

what is skf sealed bearings catalog

Our company offers different skf sealed bearings, skf bearings catalog, skf bearings cross reference, skf bearings distributors at Wholesale Price? Here, you can get high quality and high efficient skf sealed bearings

SKF Sealed bearings - All the products on DirectIndustry Discover the sealed bearing product range of SKF. Contact the manufacturer directly

Sealed SKF Explorer spherical roller bearings - Brammer Why SKF? Sealed SKF Explorer spherical roller bearings. Product features. • Made of super-clean and tough upgraded steel. • Highly effective double-lip seals Skf Sealed Ball Bearings | Shop a large range of skf sealed ball bearings at MSC Industrial Supply. MSC Industrial supply is here to support all your metalworking and maintenance repair

@@@@@@@@								
	T	d	A	P	E	L	B	R
6218-2RZ	-	-	-	-	-	-	-	-
6318-2RS	-	25 mm	-	-	-	-	-	-
6218	-	-	-	-	-	-	-	-
6318-N	-	15	-	-	-	-	-	-
6318-ZZ	-	-	32 mm	150 mm	-	94 mm	-	-
6218-ZZ	-	55 mm	-	-	-	-	-	-
6019	-	-	-	-	95 mm	-	-	-
6318-2RZ	-	-	-	-	-	-	58.7	-
6019-2RS	-	-	-	-	-	-	-	-
6019-2RZ	-	-	-	-	-	-	-	-
6318-NR	-	-	-	-	-	-	1	-
6219-ZZ	-	30	-	-	-	-	-	-
6019-NR	-	50 mm	-	-	-	-	28 mm	-
6019-ZZ	-	-	-	-	-	-	-	-
6219	-	-	-	-	-	-	-	-
6219-2RZ	-	12.7 mm	-	-	-	-	31 mm	-
6219-2RS	-	-	-	-	-	-	24	-
6319	-	28.58 mm	50 mm	-	-	165 mm	-	-
6219-N	-	-	-	-	-	-	-	-
6019-N	-	70	-	-	-	-	26.25	-
6319-ZZ	-	-	-	-	-	-	19.1 mm	-
6319-2RS	-	-	-	-	-	-	-	-
6319-2RZ	-	-	64 mm	-	-	-	-	-
6319-N	-	-	-	-	-	-	-	-
6020	-	-	-	-	-	-	52 mm	-
6218-2RS	-	-	-	-	-	-	-	-
6319-NR	-	50 mm	32.5 mm	-	-	-	-	-
6020-ZZ	-	-	-	-	-	-	-	-

6020-2RZ	-	-	-	-	-	-	-	-
6020-NR	-	-	-	-	-	-	-	-
6020-N	-	-	-	-	-	-	-	-
6220-2RS	-	-	-	-	-	-	-	-
6220	-	30 mm	-	-	-	-	30 mm	-
6220-ZZ	-	85	-	-	-	-	130	-
6220-2RZ	-	-	-	-	-	-	34 mm	-
6220-N	-	-	-	-	-	-	-	-
6320-N	-	-	25.5 mm	-	-	100 mm	19.1 mm	-
6320	-	-	-	-	-	-	-	-
6220-NR	-	-	-	-	-	-	-	-
6320-2RS	-	12	-	-	-	-	-	-
6320-2RZ	-	-	70 mm	-	25 mm	-	-	-
6320-ZZ	-	-	-	-	-	-	-	-
6320-NR	-	-	-	-	-	-	34 mm	-
6021-2RS	-	-	-	-	-	-	56 mm	-
6021	-	-	-	-	-	-	-	-
6021-N	-	-	-	-	-	-	-	-
6020-2RS	-	-	-	-	-	-	47.6	-
6021-NR	-	-	-	-	-	-	-	-
6221-ZZ	-	-	-	-	-	-	-	-
6021-2RZ	-	-	-	-	-	-	-	-
6021-ZZ	-	-	-	-	-	-	-	-
6221	-	20	-	-	-	-	-	-
6221-N	-	-	-	-	-	-	-	-
6221-NR	-	-	32 mm	-	-	97 mm	21.4 mm	-
W 619/5 R	-	-	-	-	-	-	-	-
6304-ZNR	-	-	-	-	-	-	-	-
6302	23 mm	-	-	-	-	-	-	-
6300	-	-	-	-	-	-	-	-
6301	-	50 mm	-	-	-	-	20 mm	-
6015-RS1	-	110 mm	-	-	-	-	-	-
W 634 R	-	25 mm	-	-	-	-	-	-
W 63804-2RZ	-	160 mm	-	-	-	-	60 mm	-
W 618/7 R	-	-	-	-	-	-	-	-
W	-	-	-	-	-	-	-	-
6205-2RZ	-	-	-	-	-	-	-	-
62302-2R S1	59.5 mm	-	-	-	-	-	-	-
63005-2R S1	-	-	-	-	-	-	-	-
W	-	-	-	-	-	-	-	-
619/3-2Z	-	-	-	-	-	-	-	-
D/W ER10 38-2ZS	-	-	-	-	-	-	12,7 mm	-

RLS 8-2RS1	-	-	-	-	-	-	7 mm	-
6318-Z	17,462 mm	98,425 mm	-	-	-	-	-	0,8 mm
6005-2Z	-	-	-	-	-	-	-	-
D/W R4A-2RZ	-	60 mm	-	-	-	-	17,2 mm	-
W 61908 R	-	-	-	-	-	-	3,000 mm	-
62307-2R S1	-	4,763 mm	-	-	-	-	3,175 mm	-
609-2RSH	-	75,000 mm	-	-	-	-	37,000 mm	-
6200-RSL	-	-	-	-	-	-	-	-
W 61703-2RS1	-	-	-	-	-	-	-	-
6311	-	35 mm	-	-	-	-	14 mm	-
6313	-	-	-	-	-	-	-	-
6310	-	-	-	59	-	-	-	-
609-2RSL	-	-	38 mm	-	-	137 mm	-	-
6312	-	-	-	-	-	-	-	-

Bearings, units and housings load ratings, sealing and lubrication, to name a few. By working with SKF you have access to the world's widest range of rolling and plain bearings from a

Ball Bearings | Bearings, Units & Housings | SKF SKF ball bearings come in various cross sections and offer a variety of operating conditions and performance requirements - learn more on the official SKF site
[6201-2RSL SKF Low Friction Sealed Deep Groove Ball](#)
[6201-2RSL SKF Low Friction Sealed Deep Groove Ball Bearing 12x32x10mm - SKF Single row deep groove ball bearing with two low friction rubber seals](#)

@@@@@				
NSK	Timken	SKF	IKO	FAG
WS 81107	EX206-18G2T20	P 3/4 FM	SY 1/2 FM	SY 1/2 FM
WS 81228	EX206-19G2T04	SY 35 FM	SY 25 TDW	SY 25 TDW
WS 81104	EX206-19G2T20	SY 40 LDW	P 47 R-15 FM	P 47 R-15 FM
WS 81105	EX206-20G2	SY 5/8 TF	P2BL 104-WF-AH	P2BL 104-WF-AH
WS 81226	EX206-20G2L3	P2BM 111-TF-AH	P2BL 104S-TF-AH	P2BL 104S-TF-AH
WS 81108	EX206-20G2T04	P2B 207-TF-AH	SYWR 1.7/16 YTHR	SYWR 1.7/16 YTHR
WS 81109	EX206-20G2L4	P2BL 212-TF	SY 45 FM	SY 45 FM
GS 81109	EX209-26G2L4	P 25 FM	P 40 RM	P 40 RM
GS 81107	EX209-26G2T04	P 85 R-40 WF	SYWK 3/4 YTA	SYWK 3/4 YTA
GS 81108	EX209-27G2	SY 1.1/2 FM	P2BL 203-TF-AH	P2BL 203-TF-AH
GS 81228	EX209-26G2T20	P2B 012-FM	P2BL 104S-WF	P2BL 104S-WF
GS 81106	EX209-27G2L3	P2BL 200-WF	SYWK 30 YTH	SYWK 30 YTH

GS 81105	EX209-27G2L4	P2B 104-FM	P2B 102-FM	P2B 102-FM
GS 81226	EX209-27G2T04	P 20 TF	SYWK 3/4 YTH	SYWK 3/4 YTH
GS 81104	EX209-27G2T20	P2B 111-TF	P2B 112-TF-AH	P2B 112-TF-AH
GS 81103	EX209-28G2L3	P 40 WF	SYWK 1.7/16 YTH	SYWK 1.7/16 YTH
GS 81224	EX209-28G2	P2BL 008-TF-AH	P2B 108-WF	P2B 108-WF
GS 81222	EX209AGR	SY 45 LF	P2BL 014-RM	P2BL 014-RM
GS 81220	EX209-28G2L4	UCP 213-40	SY 1.3/4 DUTF	SY 1.3/4 DUTF
GS 81102	EX209-28G2T04	P2BC 104S-CPSS-DFH	SY 1.3/16 LDW	SY 1.3/16 LDW
EX204-12G2T04	EX209-28G2T20	P2B 102-RM	SY 40 WF	SY 40 WF
EX.204.G2	EX.209.G2	SYWK 25 YTH	SYJ 70 TF	SYJ 70 TF
EX204-12G2T20	EX.209.G2L4	SYJ 60 TF	SYWK 1.3/16 YTA	SYWK 1.3/16 YTA
EX.204.G2.L3	EX209G2T04	P2BM 215-TF-AH	P 85 R-40 RM	P 85 R-40 RM
EX204G2T04	EX.209.G2.L3	SY 1.1/4 TDW	SY 1.7/16 LDW	SY 1.7/16 LDW
EX.204.G2L4	EX210-30G2L3	SYJ 65 KE	SY 2.3/16 FM	SY 2.3/16 FM
EX205-14G2L3	EX210-30G2	P 80 R-35 RM	SY 1.3/8 LDW	SY 1.3/8 LDW
EX204G2T20	EX209G2T20	SYWK 25 YTA	SYWK 1.7/16 YTA	SYWK 1.7/16 YTA
EX205-14G2	EX210-30G2T04	P 20 TR	P2BC 012-TPSS	P2BC 012-TPSS
EX205-14G2T04	EX210-30G2L4	P2BL 108-WF-AH	UCP 320	UCP 320
EX205-14G2L4	EX210-30G2T20	SY 30 WF	P 1.1/2 TF	P 1.1/2 TF
EX205-14G2T20	EX210-31G2	P 62 R-1. FM	SY 1.7/16 TF	SY 1.7/16 TF
EX205-15G2	EX207AGR	P2BL 015-TF	SYJ 1.1/2 TF	SYJ 1.1/2 TF
EX205-15G2L3	EX207-23G2T20	P2BL 203-WF-AH	P 1.1/2 TR	P 1.1/2 TR
EX205-15G2L4	EX.207.G2	P2BSS 107-YTPSS	UKP 211 K/H	UKP 211 K/H
EX205-15G2T20	EX.207.G2.L3	P2BC 30M-TPSS	SY 45 TDW	SY 45 TDW
EX205-15G2T04	EX.207.G2L4	P2BL 102-FM	SYWR 1.1/2 YTHR	SYWR 1.1/2 YTHR
EX.206.G2.L3	EX208-24G2	P2B 008-RM	SYWK 1.3/16 YTH	SYWK 1.3/16 YTH
EX.206.G2L4	EX207G2T20	P2BL 204-TF-AH	P2BM 203-TF-AH	P2BM 203-TF-AH
EX.206G2	EX208-24G2L3	SYWR 1.3/8 YTHR	P2B 60M-TF	P2B 60M-TF
EX206-20G2T20	UCP 210/H	P2BC 25M-CPSS-DFH	P2B 110-TF	P2B 110-TF
EX206G2T04	SY 1.11/16 LDW	P 1. TR	P 15 TF	P 15 TF
EX206G2T20	SY 1.15/16 LDW	P 80 R-35 TF	P 40 TF	P 40 TF
EX207-20G2	P2B 203-TF	SY 50 TDW	P2B 208-TF-AH	P2B 208-TF-AH
EX207-20G2T04	UCP 212-36	P2BL 107-WF	P2BSS 012-YTPSS	P2BSS 012-YTPSS
EX207-20G2L4	P2BL 010-FM	SY 20 WF	P2BL 104-TF	P2BL 104-TF
EX207-20G2L3	P2B 106-LF-AH	P2B 015-TF-AH	P 40 TR	P 40 TR
EX207-21G2	UCP 211-32	P2BL 212-TF-AH	P2B 010-FM	P2B 010-FM
EX207-20G2T20	P2BL 200-TF	P2BL 008-FM	P2BL 103-WF	P2BL 103-WF
EX207-21G2L4	P2BC 20M-TPZM	P2BC 106-TPZM	P2BL 112-WF-AH	P2BL 112-WF-AH
EX207-21G2L3	SY 1. TR	P 1. TF	SY 2.1/4 TF	SY 2.1/4 TF
EX207-21G2T04	SY 25 WDW	P 30 WF	UCP 204-12	UCP 204-12
EX207-21G2T20	P 85 R-1.1/2 TF	P2B 103-LF-AH	SY 30 TF	SY 30 TF
EX207-22G2	P2BSS	SYK 35 LF	P2BC 50M-TPZM	P2BC 50M-TPZM

	100-YTPSS			
EX207-22G2L3	P2B 103-TF-AH	P 47 R-15 TF	SYK 25 LD	SYK 25 LD
EX207-22G2L4	SY 1.11/16 FM	P2B 100-WF	SYK 25 LF	SYK 25 LF
EX207-22G2T04	P2B 203-WF	SYK 35 LD	SYWK 1.1/4 YTA	SYWK 1.1/4 YTA
EX207-22G2T20	P2BL 107-RM	SYWK 1.3/8 YTA	P 52 R-20 RM	P 52 R-20 RM
EX207-23G2L3	P2B 106-FM	SYWK 15/16 YTA	P2BL 115-TF	P2BL 115-TF
EX207-23G2L4	SYK 30 WD	P2BSS 25M-YTPSS	P2B 215-TF-AH	P2B 215-TF-AH
EX207-23G2	P2B 204-TF	P2BC 115-TPZM	P2B 104-TF-AH	P2B 104-TF-AH
EX207-23G2T04	P2BL 110-TF-AH	P2BM 207-TF-AH	SYWK 1.1/4 YTH	SYWK 1.1/4 YTH
EX205-16G2	P2B 012-TF-AH	P2B 112-RM	SY 30 TDW	SY 30 TDW
EX205-16G2L3	SY 35 TDW	UKP 209 K/H	P 72 R-30 FM	P 72 R-30 FM
EX205-16G2L4	P2B 112-WF	P 62 R-25 TF	P2BL 104-RM	P2BL 104-RM
EX205-16G2T20	P2BL 104S-RM	P2BL 100-TF-AH	SY 55 LF	SY 55 LF
EX205-16G2T04	P2BM 300-TF	P2B 104S-FM	SY 30 TR	SY 30 TR
EX.205.G2	P2B 008-TF	P2B 215-WF	P2B 212-TF	P2B 212-TF
EX.205.G2.L3	P2B 100-RM	P 80 R-1.1/4 TF	P2B 115-FM	P2B 115-FM
EX.205.G2L4	P 1.1/4 TF	SY 1.15/16 WF	P2BL 207-WF	P2BL 207-WF
EX205G1L3	SY 55 TR	P2BL 014-TF	UKP 210 K/H	UKP 210 K/H
EX205G2T04	P 1.1/4 TR	P 20 RM	UCP 213/H	UCP 213/H
EX205G2T20	SY 1.1/2 LDW	SYK 20 WD	P 45 FM	P 45 FM
EX206-18G2	SY 1. TF	P2B 014-TF-AH	ES.204.G2.T04	ES.204.G2.T04
EX206-18G2L3	P2BL 100-FM	SYWK 1.3/8 YTH	ES204-12G2T20	ES204-12G2T20
EX206-18G2L4	SY 1.3/16 FM	SYJ 2.1/2 TF	ES204G2T20	ES204G2T20
EX206-18G2T04	SY 50 WDW	P2BL 108-RM	ES204SRS	ES204SRS
EX206-19G2L4	SY 1.3/4 TF	SYJ 1.1/4 TF	ES.205-14G2	ES.205-14G2
EX206-19G2	P 30 RM	P2B 104-LF-AH	ES205-14G2T04	ES205-14G2T04
EX206-19G2L3	SY 3/4 FM	P2B 211-TF-AH	ES205-14G2T20	ES205-14G2T20
-	P 62 R-25 WF	SY 65 TR	ES205-15G2	ES205-15G2
-	SY 65 TF	P 85 R-40 TF	ES205-15G2T04	ES205-15G2T04
-	-	SY 17 TF	ES205-15G2T20	ES205-15G2T20
-	-	SYWK 30 YTA	ES.205-16G2	ES.205-16G2
-	-	P2BL 115-WF	ES205-16G2T04	ES205-16G2T04
-	-	-	ES205-16G2T20	ES205-16G2T20

Using sealed bearings SNLN 30 housings can be used together with SKF sealed self-aligning bearings. When using taconite heavy-duty seals, a sealed bearing does not enhance the What's the best seal design for my bearing application Jun 29, 2017 - So when we're skf-sealed-bearing-image looking at bearing selection and seal selection, some bearings are only offered open. In this case you

Sealed SKF single row angular contact ball bearings Sealed SKF single row angular contact ball bearings are ready-to-use units that are filled at the factory with the proper amount of high quality grease, under Sealed bearings Field and lab-tested to keep grease in and contaminants out, SKF sealed bearings offer an excellent solution for water, food processing and other clean pump

